Family: EDGEBANDING MACHINES	Code: 002834
SubFamily: Single Sided Edgebanders	
Brand: HOMAG	
Model: KAL 211 EDITION 2262	



Type of edging	Thin edge Thick edge Solid wood
Gluing System	EVA Hotmelt
Premilling Unit	yes
Corner Rounding Unit	yes
Max feed speed	78.74 ft/min
Min. panel height	.47 inch
Max. panel height	2.36 inch
Max. edge thickness	.79 inch
Max. forward feed speed	78.74 ft/min
Top pressure	yes
Pressure with	rubber belt
Panel support guides	yes

No. Panel Sizing / Milling units	1
	NO. PANEL SIZING / MILLING UNITS 1 Unit : pre-milling unit automatic timed intervention : yes motor power : 3 KW r.p.m. : 9000 RPM
Lamps to preheat the side of the panel	yes
Edge coil magazine	yes
no. positions	1
Gluing system	yes
glue pot for EVA hot melt glue	yes
premelter for EVA hot melt glue	yes
Roller set to press the edge	yes
no. pressure roller	7
with positioning by NC	yes
No. Edge Processing Units	6
	NO. EDGE PROCESSING UNITS 1 Processing Unit : end trimming no. motors : 2 motor power : 0.5 KW r.p.m. : 12000 RPM
	NO. EDGE PROCESSING UNITS 2 Processing Unit : top and bottom rough trimming no. motors : 2 motor power : 0.5 KW
	NO. EDGE PROCESSING UNITS 3 Processing Unit : Corner rounding Constructor model : FK 11 no. motors : 2 Max. machining speed : 65.62 ft/min motor power : 0.5 KW r.p.m. : 12000 RPM

	NO. EDGE PROCESSING UNITS 4 Processing Unit : edge scraping NO. EDGE PROCESSING UNITS 5 Processing Unit : glue scraping NO. EDGE PROCESSING UNITS 6 Processing Unit : buffing no. motors : 2
Spray unit	yes
Control system	POWER CONTROL PC 22
Safety standard CE mark	yes