

Clamps to secure piece being processed yes

No. collets 2

Automatic panel loading system yes

. Motorised transfer

Automatic panel stacking system yes

With Motorized transfer

Boring units 2

BORING UNITS 1

Unit : top

Vertical Boring Spindles : 32

Horizontal Boring Spindles in X : 8

Horizontal Boring Spindles in Y : 2

Total number of vertical + horizontal spindles : 42

BORING UNITS 2

Unit : bottom

Vertical Boring Spindles : 32

Horizontal Boring Spindles in X : 8

Horizontal Boring Spindles in Y : 2

Total number of vertical + horizontal spindles : 42

Router Spindles 2

ROUTER SPINDLES 1

Unit : top

No. controlled axes : 3

Motor power : 8.05 hp

r.p.m. : 18000 RPM

ROUTER SPINDLES 2

Unit : bottom

No. controlled axes : 3

Motor power : 8.05 hp

r.p.m. : 18000 RPM

Grooving unit

2

GROOVING UNIT 1

Unit : top

Unit : with 0 / 90 degree positioning

Max. tool diameter : 4.92 inch

r.p.m. : 7500 RPM

GROOVING UNIT 2

Unit : bottom

Unit : with 0 / 90 degree positioning

Max. tool diameter : 4.92 inch

r.p.m. : 7500 RPM

Control system

POWER CONTROL

Machine programming software

WOODWOP

Safety standard EC mark

yes

Total installed power

20 KW