

Family: CNC WORK STATIONS	Code: 004578
SubFamily: CNC for Flexible Drilling	
Brand: WEEKE	
Model: BHX 500	



Type of work	Drilling Routing
X axis working area	2500 mm
Y axis working area	1000 mm
Main Electrospindle power	6 KW
Total number of drilling spindles	92
X axis work area	2500 mm
Y axis work area	1000 mm
X axis movement speed	138 m/min
Y axis movement speed	80 m/min
Z axis movement speed	50 m/min
Collet to secure piece being processed	yes
No. collets	2

Automatic panel loader system	yes
Automatic panel stacker system	yes
With	Motorised transfer
Bore operator units	2

BORE OPERATOR UNITS 1

Unit : top

Spindles for vertical boring : 36

Spindles for horizontal boring in direction X : 8

Spindles for horizontal boring in direction Y : 2

Total number of vertical + horizontal spindles : 46

BORE OPERATOR UNITS 2

Unit : bottom

Spindles for vertical boring : 36

Spindles for horizontal boring in direction X : 8

Spindles for horizontal boring in direction Y : 2

Total number of vertical + horizontal spindles : 46

Router Spindles	2
-----------------	---

ROUTER SPINDLES 1

Unit : top

No. controlled axes : 3

Motor power : 6 kw

r.p.m. : 17500 RPM

ROUTER SPINDLES 2

Unit : bottom

No. controlled axes : 3

Motor power : 6 kw

r.p.m. : 17500 RPM

Grooving unit	2
---------------	---

GROOVING UNIT 1

Unit : top

Max. tool diameter : 125 mm

GROOVING UNIT 2

Unit : bottom

Max. tool diameter : 125 mm

Control system	POWERCONTROL PC 85
Machine programming software	WoodWOOP 5.0
Safety standard CE mark	yes
Safety system	Front safety mats